

## 3860

ORIGINAL | Lamps with metal bases



### Product benefits

- Wide product range
- Reliable quality

### Product features

- Original spare parts

## Product datasheet

### Technical data



#### Electrical data

Power input	5 W
Nominal voltage	12.0 V
Nominal wattage	5.00 W
Power input tolerance	±15 %
Test voltage	13.5 V

#### Photometrical data

Luminous flux	50 lm
Luminous flux tolerance	±20 %

#### Dimensions & weight



Length	27.4 mm
Diameter	9 mm
Product weight	1.89 g

#### Lifespan

Lifespan B3	400 h
Lifespan Tc	1000 h

#### Additional product data

Base (standard designation)	BA9s
-----------------------------	------

#### Certificates & standards

ECE category	-
Approval marks – approval	-

## Product datasheet

### Country specific categorizations

<b>Order reference</b>	3860 5W 12V BA9
------------------------	-----------------

### Country specific information

<b>Product code</b>	<b>METEL code</b>	<b>SEG-No.</b>	<b>STK-Number</b>	<b>UK Org</b>
4008321095756	OSRA3860	-	-	-

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095756	3860	Unpacked 1	10 mm x 5 mm x 10 mm	0.00 dm <sup>3</sup>	1.00 g
4008321095763	3860	Folding carton box 10	25 mm x 46 mm x 114 mm	0.13 dm <sup>3</sup>	32.00 g
4008321095770	3860	Shipping carton box 50	148 mm x 55 mm x 115 mm	0.94 dm <sup>3</sup>	167.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.