Orbis Milan 300 mm 2XE27 BK

ORBIS MILAN | Socketed ceiling luminaires with metal ring

Areas of application

– Indoor applications
– Kitchens, living rooms, children's rooms or home offices

Product benefits

– Replaceable LED lamp
– Elegant design

Product features

– Decorative domestic lighting
– Ceiling luminaire with socket
– Glass and metal material

TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	I
Operating mode	Mains voltage

Dimensions & Weight

Diameter	305.00 mm
Height	100.00 mm
Product weight	1050.00 g

Materials & Colors

Product color	Black/White
Housing color	Black/White
Body material	Steel
Cover material	Glass
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP20
Dimmable	No
Mounting type	Surface
Application environment	Indoor
With light source	No

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Product remark	Available from September 2023

DOWNLOAD DATA

	Documents and certificates
PDF	User instruction
PDF	Packaging insert
PDF	Declarations Of Conformity CE
PDF	Declarations Of Conformity UKCA

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075829107	Folding box 1	175 mm x 300 mm x 300 mm	1409.00 g	15.75 dm³
4058075829114	Shipping box 4	620 mm x 314 mm x 380 mm	6404.00 g	73.98 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.