

# PRODUCT DATASHEET T8 EM Starter SUBSTITUBE LED

SubstiTUBE T8 EM STARTER | Starter for SubstiTUBE EM (CCG)



#### Areas of application


- Not suitable for operation with electronic control gears

#### **Product features**

- Substitute starter for the replacement of a fluorescent lamp with a T8 EM LED tube
- Suitable for operation with low loss or conventional control gear or line voltage
- Integrated electrical fuse

### **TECHNICAL DATA**

## **Dimensions & Weight**



Dead.oat.oat.aht	F.00 -
Product weight	5.00 g

## Country-specific categorizations

Order reference SUBST	TUBE LED
-----------------------	----------

# Energy labelling regulation data acc EU 2019/2015

	Length	40 mm
-		

### **DOWNLOAD DATA**

	DOWNLOAD DATA
PDF	User instruction
PDF	Installation guide
PDF	Installation guide

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075013674	Folding box 2	46 mm x 25 mm x 42 mm	9.00 g	0.05 dm <sup>3</sup>

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075013681	Shipping box 20	99 mm x 32 mm x 218 mm	169.00 g	0.69 dm³
4058075013698	Shipping box 840	446 mm x 309 mm x 246 mm	7.42 g	33.90 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.