

PRODUCT DATASHEET SMART + WIFI PLANON 400X100

SMART+ Planon Frameless TW | Frameless panel luminaires with WiFi technology



Areas of application

- Indoor applications
- Kitchens, living rooms, children's rooms or home offices

Product benefits

- Easy and quick installation

Product features

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android™ 4.4 or iOS 9.0)
- Dimmable
- Controllable via voice control available: Google Assistant or Amazon Alexa
- Adjustable color temperature via Tunable White: 3,000...6,500 K
- Network protocol: WiFi



TECHNICAL DATA

Electrical data

Nominal wattage	16.00 W
Nominal voltage	220240 V
Nominal current	88 mA
Mains frequency	5060 Hz
Power factor λ	> 0.90
Operating mode	Mains voltage

Photometrical data

Light color (designation) Tunable White	
Standard deviation of color matching	< 6 sdcm
Nominal luminous flux	1050 lm
Luminous flux	1050 lm
Luminous efficacy	66 lm/W
Color temperature	30006500 K
Color rendering index Ra	> 80

Light technical data

Beam angle	110 °

Dimensions & Weight



Product weight	1200.00 g
Length	400.00 mm
Width	100.00 mm
Height	65.00 mm

Lifespan

Number of switching cycles	15000
Lifespan	25000 h



Colors & materials

Product color	White	
Housing color	White	
Body material	Aluminum	
Cover material	Polymethylmethacrylate (PMMA)	
Light emitting surface material	РММА	

Temperatures & operating conditions

Additional product data

Product remark	Reset settings to default by switching the product on for three seconds and off for three seconds and repeating this five times.	
Mounting location	Ceiling	

Capabilities

Dimmable	Yes	
Type of connection	Terminal, 2-Pole (L, N)	
Compatible smart home technology	Google Assistant / Amazon Alexa	
LED module replaceable	Not replaceable	

Certificates & Standards

Standards	CE / EAC / REACH / RoHS
Protection class	Ш
Type of protection	IP20

EQUIPMENT / ACCESSORIES

- Mounting bracket included
- Mounting screws and dowels included
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

DOWNLOAD DATA

	DOWNLOAD DATA
POF	User instruction



DOWNLOAD DATA



Declarations of conformity

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075484634	Folding box 1	439 mm x 95 mm x 135 mm	1317.00 g	5.63 dm ³
4058075484641	Shipping box 9	431 mm x 304 mm x 436 mm	1275.00 g	57.13 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

