

PRIMO 10W LED wall lamp



Categories: [INDOOR LIGHTING](#) \ [WALL LAMPS](#)



www.eko-light.com

SIGNS

Bar code

5902693738367

Symbol

ML3836

LOGISTICS

Base unit

pcs

VAT

23%





+4

CHARACTERISTICS

Width: [100 mm](#)

Height: [200 mm](#)

Height of the shade: [40mm](#)

SHADE WIDTH (mm): [100mm](#)

Power: [10W LED](#)

Luminous flux: [700lm](#)

Color temperature: [Warm White 3000K](#)

Replaceable source of light: [Yes](#)

Dimmable: [Yeah](#)

ENERGY CLASS: [PRODUCT EQUIPPED](#)

Voltage: [~ 230V / 50Hz](#)

Ingress Protection (IP): [IP20](#)

Number of arms: [1](#)

Color: [Multicolored](#)

Made of: [Metal + acrylic](#)

Net weight: [0.33kg](#)

Gross weight: [0.40kg](#)

Width of packaging: [10](#)

Depth of packaging: [19](#)

Height of packaging: [6](#)

Quantity in set: [1.0000](#)

Quantity in gross packaging: [1.0000](#)

PACKAGE CATEGORY: [Corrugated cardboard](#)

CATEGORY IN THE PACKAGE: [Foil](#)

Producer: [Eco-Light](#)

Brand: [Milagro](#)

DESCRIPTION

PRIMO is one of the MiLAGRO collection, which consists of LED lamps. The set includes two lamps that glow with a warm color with a temperature of 3000 K. Depending on the number of light points, the products provide light intensity from 700 lm with a wall lamp with one light source, up to 2800 lm with a hanging ceiling lamp, which consists of four light points. The products available in this series operate correctly and safely at a voltage of 230 V and a frequency of 50 Hz. These lamps are marked with the symbol of the degree of protection - IP20, which indicates that the devices are sensitive to water, dust and dust. This should be taken into account when installing the lamp.

Stylish lamps from the PRIMO collection made of metal and acrylic in dark colors. The lamps resemble small speakers. The series includes a wall lamp with a single LED light and an oblong ceiling lamp with adjustable overhangs, which has four light points. Lamps are perfect for the living room or bedroom.

MiLAGRO products are covered by a 2-year warranty.