

OVO 5W LED wall lamp



Categories: [INDOOR LIGHTING](#) \ [WALL LAMPS](#)



www.eko-light.com

SIGNS

Bar code
5907377243045
Symbol
ML304

LOGISTICS

Base unit
pcs
VAT
23%





+4

CHARACTERISTICS

Width: [80 mm](#)

Depth: [150 mm](#)

Height: [175 mm](#)

Height of the shade: [10cm](#)

SHADE WIDTH: [7cm](#)

Power: [5W LED](#)

Luminous flux: [350lm](#)

Color temperature: [Neutral 4000K](#)

Source of light: [Yes](#)

Replaceable source of light: [Yes](#)

Dimmable: [Yeah](#)

Voltage: [~ 230V / 50Hz](#)

Ingress Protection (IP): [IP20](#)

Color: [Chrome](#)

Made of: [Metal + acrylic](#)

Net weight: [0.46kg](#)

Gross weight: [0.63kg](#)

Width of packaging: [21.5](#)

Depth of packaging: [12](#)

Height of packaging: [18.5](#)

Quantity in set: [1 piece](#)

Quantity in gross packaging: [15 pcs](#)

Weight of gross packaging: [9.45kg](#)

PACKAGE CATEGORY: [Corrugated cardboard](#)

CATEGORY IN THE PACKAGE: [Foil / Styrofoam](#)

Producer: [Eco-Light](#)

Brand: [Milagro](#)

DESCRIPTION

"Ovo 304 to przykład kinkietu o niebanalnej stylizacji. Jego zaletą jest wysoka jakość zastosowanych materiałów: metalu i akrylu oraz unikalny wygląd. Niewielkie wymiary: wysokość 10 cm, szerokość 10 cm i odległość od ściany 15 cm, sprawiają, że kinkiet jest idealnym dodatkiem dopełniającym stylowe wnętrza. Źródłem światła jest zainstalowany na stałe moduł LED o mocy 5 W, który odpowiada 31 W tradycyjnej żarówki. Wykorzystanie modułu LED pozwala zmniejszyć koszty zużycia energii, nie wpływając na jakość źródła światła. Przyjemna dla oka barwa 4000 K wprowadza miły klimat do pomieszczeń i dba o odpowiedni nastrój.

The Ovo 304 lamp is a combination of contemporary design, but it will also find its place in classic interiors. The unique and exceptional design resembling a drop of water attracts the eye, and the rooms in which it was used gain an elegant character. The lamp can be used in living rooms, kitchens and bedrooms

. The product is covered by a 2-year manufacturer's warranty, under which free warranty services are provided. "