





York

C

York



Serie de lămpi pentru exterior, corp din aluminiu turnat sub presiune finisat negru antic cu patină maron, dispersoare din sticlă decorativă tip "Waterglass".

Outdoor lamps, die-cast aluminum body antique black finish with brown patina, glass diffusers type "Waterglass".

Serie di lampade per esterni, corpo in pressofusione di alluminio finitura nero anticato patinato marrone, diffusori in vetro "Waterglass".

Серия светильников, корпус из алюминия, литого под давлением, с отделочным слоем античного чёрного цвета с коричневой патиной, диффузоры из декоративного стекла типа "Waterglass".

Kültéri lámpasorozat, nyomás alatt öntött alumínium test, antik fekete festés, barna fénnel, "Waterglass" típusú díszítő üveg diszperzók.

Серия екстериорни лампи, тяло от алуминий, лят под налягане, с антично черно покритие, с кафява ръжда, разсейватели от декоративно стъкло, тип "Waterglass".




SUSPENSIE/SUSPENSION

IP44




Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9649	1 x max. 70W	E27	230V	50Hz

Dimension



Photometry



PLAFONIERĂ/CEILING


IP44




Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9650	2 x max. 42W	E14	230V	50Hz



Dimension



Photometry



APLICĂ/WALL LAMP


IP23




Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9651	1 x max. 70W	E27	230V	50Hz



Dimension



Photometry





York


APLICĂ/WALL LAMP




Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9664	1 x max. 70W	E27	230V	50Hz



Dimension




Photometry




Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9646	1 x max. 70W	E27	230V	50Hz



Dimension



Photometry







Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9665	1 x max. 70W	E27	230V	50Hz



Dimension




Photometry




Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9647	1 x max. 70W	E27	230V	50Hz



Dimension




Photometry




Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9648	1 x max. 70W	E27	230V	50Hz



Dimension



Photometry





York

CE




IP44


RoHS



STÄLP/POLE




Dimension




Photometry

Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9652	1 x max. 70W	E27	230V	50Hz




Dimension




Photometry

Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9653	1 x max. 70W	E27	230V	50Hz





Dimension




Photometry

Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9654	1 x max. 70W	E27	230V	50Hz



Dimension



Photometry

Type	Code	Bulbs recommended/Power	Socket	Input voltage	Input frequency
	9655	2 x max. 70W	E27	230V	50Hz

