

# 2821

Lamps with glass wedge bases for cars



#### Product benefits

- Wide product range
- Reliable quality

#### **Product features**

- Original spare parts

### Technical data


## **Electrical data**

Power input	3 W
Nominal voltage	12.0 V
Nominal wattage	3.00 W
Power input tolerance	±10 %
Test voltage	13.5 V

### Photometrical data

Luminous flux	22 lm
Luminous flux tolerance	±30 %

## **Dimensions & weight**





Length	26.8 mm
Diameter	10.3 mm
Product weight	1.34 g

#### Lifespan

Lifespan B3	1300 h
Lifespan Tc	4000 h

## Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

#### **Certificates & standards**

## **Country specific categorizations**

#### Order reference

2821 3W12VW2,1X

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300838663	OSRA2821	8328252	4739282	-
4050300925745	OSRA2821BLI2	-	-	-

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838663	2821	Unpacked 1	26 mm x 10 mm x 10 mm	0.00 dm³	2.34 g
4050300524788	2821	Folding carton box 10	51 mm x 42 mm x 94 mm	0.20 dm <sup>3</sup>	23.75 g
4008321094438	2821	Shipping carton box 50	148 mm x 55 mm x 115 mm	0.94 dm <sup>3</sup>	152.00 g
4050300925745	2821	Blister 2	70 mm x 13 mm x 48 mm	0.04 dm <sup>3</sup>	11.00 g
4008321140371	2821	Shipping carton box 20	137 mm x 105 mm x 81 mm	1.17 dm³	133.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.