
7510TSP

TRUCKSTAR PRO | Signal lamps for trucks



Product benefits

- Tried and trusted in millions of vehicles of well-known automobile manufacturers
- Excellent price/performance ratio
- Impressive brightness and reliable lifetime
- Up to 100 % longer lifetime (compared to standard lamps)
- Suitable for heavy duty applications thanks to very high vibration resistance

Technical data


Electrical data

| | |
|-----------------------|---------|
| Power input | 28 W |
| Nominal voltage | 24.0 V |
| Nominal wattage | 21.00 W |
| Power input tolerance | ±6 % |
| Test voltage | 28.0 V |

Photometrical data

| | |
|-------------------------|--------|
| Luminous flux | 250 lm |
| Luminous flux tolerance | ±20 % |

Dimensions & weight



| | |
|----------------|---------|
| Length | 52.5 mm |
| Diameter | 25.0 mm |
| Product weight | 8.86 g |

Lifespan

| | |
|-------------|-------|
| Lifespan B3 | 250 h |
| Lifespan Tc | 500 h |

Additional product data

| | |
|-----------------------------|--------|
| Base (standard designation) | BAU15s |
|-----------------------------|--------|

Certificates & standards

| | |
|--------------|-------|
| ECE category | PY21W |
|--------------|-------|

Country specific categorizations


Product datasheet

| | |
|------------------------|-----------------|
| Order reference | 7510TSP 21W 24V |
|------------------------|-----------------|

Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------------|-------------------|----------------|-------------------|---------------|
| 4008321130969 | OSRA7510LTS | - | - | - |

Product datasheet



Others graphics

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4008321130969 | 7510TSP | Unpacked 1 | 31 mm x 14 mm x 18 mm | 0.01 dm ³ | 4.67 g |
| 4008321130976 | 7510TSP | Folding carton box 10 | 54 mm x 54 mm x 142 mm | 0.41 dm ³ | 99.33 g |
| 4008321130983 | 7510TSP | Shipping carton box 50 | 273 mm x 65 mm x 145 mm | 2.57 dm ³ | 603.00 g |
| 4008321798169 | 7510TSP | Unpacked 1 | 24 mm x 14 mm x 19 mm | 0.01 dm ³ | 6.00 g |
| 4008321798176 | 7510TSP | Folding carton box 10 | 53 mm x 60 mm x 144 mm | 0.46 dm ³ | 110.60 g |
| 4008321798183 | 7510TSP | Shipping carton box 50 | 273 mm x 65 mm x 145 mm | 2.57 dm ³ | 603.00 g |
| 4008321837257 | 7510TSP | Unpacked 1 | - x - x - | | |
| 4008321837264 | 7510TSP | Shipping carton box 420 | 345 mm x 255 mm x 240 mm | 21.11 dm ³ | 4361.00 g |
| 4008321856944 | 7510TSP | Unpacked 1 | - x - x - | | |
| 4008321856951 | 7510TSP | Shipping carton box 420 | 345 mm x 255 mm x 240 mm | 21.11 dm ³ | 4361.00 g |
| 4052899341333 | 7510TSP | Unpacked 1 | - x - x - | | |
| 4052899341340 | 7510TSP | Shipping carton box 420 | 345 mm x 255 mm x 240 mm | 21.11 dm ³ | 4361.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Legal advice

ECE E1 approval

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.