
7537TSP

TRUCKSTAR PRO | Signal lamps for trucks



Product benefits

- Tried and trusted in millions of vehicles of well-known automobile manufacturers
- Excellent price/performance ratio
- Impressive brightness and reliable lifetime
- Up to 100 % longer lifetime (compared to standard lamps)
- Suitable for heavy duty applications thanks to very high vibration resistance

Technical data



Electrical data

Power input	28 / 10 W
Nominal voltage	24.0 V
Nominal wattage	21/5 W
Power input tolerance	$\pm 6 / \pm 10$ %
Test voltage	28.0 V

Photometrical data

Luminous flux	440/40 lm
Luminous flux tolerance	$\pm 15 / \pm 20$ %

Dimensions & weight



Length	52.5 mm
Diameter	25.0 mm
Product weight	10.00 g

Lifespan

Lifespan B3	100 / 1000 h
Lifespan Tc	200 / 2000 h

Additional product data

Base (standard designation)	BAY15d
-----------------------------	--------

Certificates & standards

ECE category	P21/5W
--------------	--------

Country specific categorizations

Product datasheet

Order reference	7537TSP 21/5W 2
------------------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321798138	7537TSP	Unpacked 1	45 mm x 12 mm x 12 mm	0.01 dm ³	8.00 g
4008321798145	7537TSP	Folding carton box 10	57 mm x 54 mm x 141 mm	0.43 dm ³	122.00 g
4008321798152	7537TSP	Shipping carton box 50	273 mm x 65 mm x 145 mm	2.57 dm ³	660.00 g
4008321837318	7537TSP	Unpacked 1	- x - x -		
4008321837325	7537TSP	Shipping carton box 420	345 mm x 255 mm x 240 mm	21.11 dm ³	4840.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Legal advice

ECE E1 approval

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.