

PRODUCT DATASHEETLED STRIPE TWIN 600+600 18 W 830

LED strips | Decorative LED ceiling luminaires illuminated by LED strips

AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- Ceiling and wall surface mounting

PRODUCT BENEFITS

- Very homogenous light
- Easy and quick installation

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Housing material: aluminum
- Diffuser made of opal polycarbonate



TECHNICAL DATA


Electrical data

Nominal wattage	18.00 W	
Operating mode	Integrated LED driver	
Nominal voltage	220240 V	
Mains frequency	50/60 Hz	

Photometrical data

Color temperature	3000 K		
Color rendering index Ra	>80		
Light color (designation)	Warm White		
Luminous flux	1010 lm		

Dimensions & weight



Length	610.0 mm
Width	100.0 mm
Height	60.0 mm
Product weight	600.00 g

Colors & materials

Body material	Aluminum	
Housing color	Steel	
Product color	Steel	
Cover material	Polycarbonate (PC)	

Temperatures & operating conditions

Ambient temperature range -3070 °C	
------------------------------------	--

Lifespan

Lifespan	20000 h

Additional product data

Mounting type	Surface
Mounting location	Ceiling

Capabilities

Dimmable	No		
Type of connection	Terminal		

Certificates & standards

Protection class	П	
Type of protection	IP20	
Standards	CE	

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075054974	LED STRIPE TWIN 600+600 18 W 830	Shipping carton box 8	660 mm x 275 mm x 325 mm	58.99 dm³	7570.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.