



NEOLUX®

GERMAN TECHNOLOGY

Standard 21 W 12 V BA15s



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N382



N382-02B

Electrical data

Power input	25 W
Test voltage	13.5 V
Power input tolerance	±6 %
Nominal wattage	21.00 W
Nominal voltage	12.0 V

Photometrical data

Luminous flux	460 lm
Luminous flux tolerance	±15 %

Dimensions & weight

Diameter	27.0 mm
Product weight	7.20 g
Length	52.5 mm

Lifespan

Lifespan Tc	320 h
Lifespan B3	120 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Certificates & standards

ECE category	P21W
British standard	382

Logistical data


Order reference	N382
-----------------	------

Environmental information

Date of Declaration	19-01-2022
Primary Article Identifier	3348675000268 4006584594726 4008321770479 4008321770929 4008321781154 4008321812674 4055462033901 4055462052636 4055462079763 4055462300904 4055462347091
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N382	4008321770479	Folding box	10
N382S	4008321770929	Folding box	1
N382-02B	4008321781154	Blister	2



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 6
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com