

64137ULT

ULTRA LIFE | Signal lamps for cars and motorcycles



Product benefits

- An ideal daytime running lamp due to long life span
- Up to triple the lifetime (compared to standard lamps)

Product datasheet

Technical data

Electrical data


Power input	26.25 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	21.00 W
Test voltage	13.5 V

¹⁾ Maximum

Photometrical data

Luminous flux	300 lm
Luminous flux	טט נווו

Dimensions & weight







Length	38.9 mm
Diameter	9 mm
Product weight	2.68 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	700 h

Additional product data

Certificates & standards

ECE category	HY21W	
Approval marks – approval	E1 approval	

Country specific categorizations

Product datasheet

Order reference	64137ULT

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899910256	64137ULT	Unpacked 1	- x - x -		2.68 g
4052899910263	64137ULT	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	39.80 g
4052899910553	64137ULT	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	249.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.