

880

OSRAM ORIGINAL LINE | Halogen headlight lamps for cars

Areas of application

- Headlight



Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts



Product datasheet

Technical data

Electrical data


Power input	31 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	27.00 W
Test voltage	13.5 V

¹⁾ Maximum

Photometrical data

Luminous flux	450 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Length	44.5 mm
Diameter	9 mm
Product weight	12.60 g

Additional product data

Base (standard designation)	PG13
-----------------------------	------

Certificates & standards

ECE category	H27/1W
--------------	--------

Country specific categorizations

Order reference	880 27W 12V PG1
-----------------	-----------------

Country specific information

Product datasheet

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321542977	OSRA880	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321542977	880	Folding carton box 1	72 mm x 35 mm x 35 mm	0.09 dm ³	19.00 g
4008321542984	880	Bundle 10	175 mm x 74 mm x 78 mm	1.01 dm ³	169.00 g
4008321542991	880	Shipping carton box 100	343 mm x 256 mm x 241 mm	21.16 dm ³	1789.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.