

---

## 2825

ORIGINAL | Lamps with glass wedge bases



---

### Product benefits

- Wide product range
- Reliable quality

---

### Product features

- Original spare parts

## Product datasheet

### Technical data


#### Electrical data

|                       |        |
|-----------------------|--------|
| Power input           | 5 W    |
| Nominal voltage       | 12.0 V |
| Nominal wattage       | 5.00 W |
| Power input tolerance | ±10 %  |
| Test voltage          | 13.5 V |

#### Photometrical data

|                         |       |
|-------------------------|-------|
| Luminous flux           | 50 lm |
| Luminous flux tolerance | ±20 % |

#### Dimensions & weight



|                |         |
|----------------|---------|
| Length         | 26.8 mm |
| Diameter       | 10.0 mm |
| Product weight | 1.30 g  |

#### Lifespan

|             |        |
|-------------|--------|
| Lifespan B3 | 350 h  |
| Lifespan Tc | 1000 h |

#### Additional product data

|                             |           |
|-----------------------------|-----------|
| Base (standard designation) | W2.1x9.5d |
|-----------------------------|-----------|

#### Certificates & standards

|              |     |
|--------------|-----|
| ECE category | W5W |
|--------------|-----|

#### Country specific categorizations

## Product datasheet

|                        |                 |
|------------------------|-----------------|
| <b>Order reference</b> | 2825 5W12VW2,1X |
|------------------------|-----------------|

### Country specific information

| <b>Product code</b> | <b>METEL code</b> | <b>SEG number</b> | <b>STK number</b> | <b>UK Org</b> |
|---------------------|-------------------|-------------------|-------------------|---------------|
| 4050300838632       | OSRA2825          | 8328258           | 4739284           | -             |
| 4050300925684       | OSRA2825BLI2      | -                 | 4730323           | -             |

## Product datasheet

### Logistical Data

| Product code  | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume                | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4050300838632 | 2825                | Unpacked<br>1                | 30 mm x 11 mm x<br>14 mm             | 0.00 dm <sup>3</sup>  | 2.30 g       |
| 4050300524801 | 2825                | Folding carton box<br>10     | 40 mm x 42 mm x<br>106 mm            | 0.18 dm <sup>3</sup>  | 20.80 g      |
| 4008321094469 | 2825                | Shipping carton box<br>50    | 148 mm x 71 mm x<br>98 mm            | 1.03 dm <sup>3</sup>  | 146.36 g     |
| 4050300925684 | 2825                | Blister<br>2                 | 75 mm x 9 mm x 46<br>mm              | 0.03 dm <sup>3</sup>  | 7.60 g       |
| 4008321140340 | 2825                | Shipping carton box<br>20    | 123 mm x 105 mm x<br>92 mm           | 1.19 dm <sup>3</sup>  | 116.80 g     |
| 4052899340367 | 2825                | Unpacked<br>1                | - x - x -                            |                       |              |
| 4052899340374 | 2825                | Folding carton box<br>10     | - x - x -                            |                       |              |
| 4052899340381 | 2825                | Shipping carton box<br>50    | 148 mm x 115 mm x<br>55 mm           | 0.94 dm <sup>3</sup>  | 150.00 g     |
| 4052899340398 | 2825                | Unpacked<br>1                | - x - x -                            |                       |              |
| 4052899340404 | 2825                | Folding carton box<br>450    | - x - x -                            |                       |              |
| 4052899340411 | 2825                | Shipping carton box<br>3600  | 310 mm x 285 mm x<br>160 mm          | 14.14 dm <sup>3</sup> | 5243.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.