

# PRODUCT DATASHEET

## DoorLED Down Silver

Door LED Down | Mobile luminaire for entrance areas, light outlet down



---

### AREAS OF APPLICATION

- For a very large range of uses
- Indoor and outdoor
- Entrance lighting
- Corridors
- Patios, balconies

---

### PRODUCT BENEFITS

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and quick installation
- Accessories for flexible mounting options included

---

### PRODUCT FEATURES

- Integrated light and motion sensor
- Available in two housing colors
- Type of protection: IP54



**TECHNICAL DATA**

Electrical data

Nominal wattage	0.95 W
Operating mode	Battery
Nominal voltage	4.5 V
Mains frequency	0 Hz


Photometrical data

Color temperature	4000 K
Color rendering index Ra	>80
Light color (designation)	Cool White
Luminous flux	40 lm
Luminous efficacy	42 lm/W

Luminaire sensor data

Type of sensor	Light / Motion
Sensor technology	Passive infrared (PIR)

Dimensions & weight



Length	102.5 mm
Width	92.4 mm
Height	36.5 mm
Product weight	154.00 g

Colors & materials

Body material	Polycarbonate (PC)
Housing color	Silver
Product color	Silver
Housing color	Silver

## Temperatures &amp; operating conditions

<b>Ambient temperature range</b>	-10...+40 °C
----------------------------------	--------------

## Additional product data

<b>Mounting type</b>	Surface
<b>Mounting location</b>	Wall

## Capabilities

<b>Dimmable</b>	No
<b>LED module replaceable</b>	Not replaceable

## Certificates &amp; standards

<b>Protection class</b>	III
<b>Type of protection</b>	IP54
<b>Standards</b>	CE/EAC/REACH/RoHS

## EQUIPMENT / ACCESSORIES

- Batteries included: 4x 1.5 V LR6 (AA)

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075267824	Blister 1	39 mm x 140 mm x 195 mm	178.00 g	1.06 dm <sup>3</sup>
4058075267831	Shipping carton box 6	247 mm x 154 mm x 210 mm	1202.00 g	7.99 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.