

PRODUCT DATASHEET

LED Office Line 1200 mm 48 W 4000 K

LED OFFICE LINE | Ceiling luminaire with a slim and modern design



AREAS OF APPLICATION

- Indoor applications
- Home offices
- General indoor illumination
- Kitchens, workspaces

PRODUCT BENEFITS

- Flexible mounting options
- Functional and minimalistic design

PRODUCT FEATURES

- Replacement for traditional T8 luminaires
- Wall and ceiling batten luminaire
- Material: Aluminium (Housing), Polycarbonate (Diffusor)
- Lifetime: up to 30,000 h
- Lengths available: 0.6 m, 1.2 m
- Color temperature: 4,000 K



TECHNICAL DATA

Electrical data

Nominal wattage	48.00 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color rendering index Ra	≥80
Light color (designation)	Cool White
Luminous flux	4800 lm
Luminous efficacy	100 lm/W

Dimensions & weight



Length	1215 mm
Width	130.0 mm
Height	25.0 mm
Product weight	1171.00 g

Colors & materials

Body material	Aluminum
Housing color	White
Product color	White
Housing color	White

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
Temperature range in operation	-20...+40 °C

Lifespan

Number of switching cycles	25000
Rated lamp life time	30000 h

Additional product data

Mounting type	Surface
Mounting location	Ceiling
Mercury content	0.0 mg

Capabilities

Dimmable	No
Type of connection	Screw terminal
LED module replaceable	Not replaceable

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/EAC/REACH/RoHS
ErP For end-consumer	yes
EEL of included LED module	A++/A+/A

Logistical data

ErP For end-consumer	yes
----------------------	-----

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075271487	Folding carton box 1	32 mm x 135 mm x 1245 mm	1276.00 g	5.38 dm ³
4058075271494	Shipping carton box 8	1240 mm x 290 mm x 150 mm	10675.00 g	53.94 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.