

# **PRODUCT DATASHEET**ENDURA CLASSIC Post Up Sensor E27 ST

**ENDURA CLASSIC POST | Stainless steel luminaires with glass diffuser** 



#### **AREAS OF APPLICATION**

- Outdoor use (IP44)
- Building facades
- Entrance lighting
- Patios, balconies
- Pathway lighting
- Driveways

#### **PRODUCT BENEFITS**

- High flexibility in the choice of the light source thanks to E27 base
- Suitable for smart applications thanks to compatibility with Smart + lamps from LEDVANCE
- Easy and quick installation

#### **PRODUCT FEATURES**

- Stainless steel housing
- Diffuser made of clear glass with hammer finish
- Available with and without motion sensor
- Available as wall and bollard luminaires



# **TECHNICAL DATA**


## Electrical data

Operating mode	Mains voltage
Nominal voltage	220240 V
Mains frequency	50/60 Hz

## Luminaire sensor data

Sensor technology Passive infrared (PIR)		
Sensor detection angle	80 °	
Detection range of motion sensor	8 m	
Detection threshold of daylight sensor	102000 lx	
Sensor controlled switching time	5 s5 min	

# Dimensions & weight



Length	212.0 mm
Width	127.0 mm
Height	193.0 mm
Product weight	1120.00 g

# Colors & materials

Body material	Stainless steel
Product color	Steel
Housing color	Steel

# Temperatures & operating conditions

Ambient temperature range	-20+40 °C
---------------------------	-----------

# Additional product data

Mounting type	Surface
---------------	---------

Mounting location	Wall
Equipped with lamp	No

## Capabilities

Dimmable	No
Type of connection	Screw terminal
Holder designation	E27

## Certificates & standards

Protection class	1
Type of protection	IP44
Standards	CE/EAC/REACH/RoHS

## **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included
- No light sources included

## **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075206540	Folding carton box 1	141 mm x 239 mm x 242 mm	1346.00 g	8.16 dm³
4058075206557	Shipping carton box 4	500 mm x 257 mm x 300 mm	6034.00 g	38.55 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.