

## 7504

ORIGINAL | Lamps with glass wedge bases



### Product benefits

- Wide product range
- Reliable quality

### Product features

- Original spare parts

## Product datasheet

### Technical data


#### Electrical data

Power input	25 W
Nominal voltage	12.0 V
Nominal wattage	21.00 W
Power input tolerance	±6 %
Test voltage	13.5 V

#### Photometrical data

Luminous flux	280 lm
Luminous flux tolerance	±20 %

#### Dimensions & weight



Length	47.5 mm
Diameter	20.0 mm
Product weight	6.00 g

#### Lifespan

Lifespan B3	400 h
Lifespan Tc	600 h

#### Additional product data

Base (standard designation)	WX3x16d
-----------------------------	---------

#### Certificates & standards

ECE category	WY21W
--------------	-------

#### Country specific categorizations

## Product datasheet

<b>Order reference</b>	7504 21W 12V WX
------------------------	-----------------

---

### Country specific information

<b>Product code</b>	<b>METEL code</b>	<b>SEG-No.</b>	<b>STK-Number</b>	<b>UK Org</b>
4008321165473	OSRA7504	-	-	-

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321165473	7504	Unpacked 1	39 mm x 18 mm x 19 mm	0.01 dm <sup>3</sup>	6.00 g
4008321165480	7504	Folding carton box 10	54 mm x 54 mm x 141 mm	0.41 dm <sup>3</sup>	82.00 g
4008321165497	7504	Shipping carton box 50	273 mm x 65 mm x 145 mm	2.57 dm <sup>3</sup>	460.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.