

7529

ORIGINAL | Lamps with metal bases



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts

Technical data


Electrical data

Power input	15 W
Nominal voltage	24.0 V
Nominal wattage	15.00 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometrical data

Luminous flux	210 lm
Luminous flux tolerance	±25 %

Dimensions & weight



Length	46.5 mm
Diameter	25.0 mm
Product weight	7.98 g

Lifespan

Lifespan B3	100 h
Lifespan Tc	300 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Product datasheet

Order reference	7529 15W 24V BA
-----------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300891774	OSRA7529	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891774	7529	Unpacked 1	29 mm x 17 mm x 19 mm	0.01 dm ³	7.97 g
4050300891781	7529	Folding carton box 10	54 mm x 91 mm x 107 mm	0.53 dm ³	101.70 g
4008321091048	7529	Shipping carton box 50	226 mm x 65 mm x 199 mm	2.92 dm ³	558.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.