

2741MF

ORIGINAL | Lamps for printed circuit boards



Areas of application

- Instrument and switch lighting

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts

Technical data


Electrical data

Power input	1.6 W
Nominal voltage	24.0 V
Nominal wattage	1.20 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometrical data

Luminous flux	6.4 lm
Luminous flux tolerance	±25 %

Dimensions & weight



Length	23.5 mm
Diameter	5 mm
Product weight	1.18 g

Colors & materials

Base color	Slate grey
------------	------------

Lifespan

Lifespan B3	400 h
Lifespan Tc	2000 h

Additional product data

Base (standard designation)	B8.5d
-----------------------------	-------

Certificates & standards

Product datasheet

ECE category	-
Approval marks – approval	-

Country specific categorizations

Order reference	2741MF 1,2W 24V
-----------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300891606	OSRA2741MF	-	4739314	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891606	2741MF	Unpacked 1	18 mm x 12 mm x 12 mm	0.00 dm ³	1.33 g
4050300891613	2741MF	Folding carton box 10	27 mm x 46 mm x 113 mm	0.14 dm ³	21.20 g
4008321097200	2741MF	Shipping carton box 50	148 mm x 55 mm x 115 mm	0.94 dm ³	145.60 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.