

## 9005XS

OSRAM ORIGINAL LINE | Halogen headlight lamps for cars



### Areas of application

- Headlight

### Product benefits

- OEM Quality
- Wide product range
- Reliable quality

### Product features

- Original spare parts



Technical data

Electrical data


Power input	73 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	60.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

Photometrical data

Luminous flux	1860 lm
Luminous flux tolerance	±12 %

Dimensions & weight



Length	80.3 mm
Diameter	12.0 mm
Product weight	28.00 g

Lifespan

Lifespan B3	280 h
Lifespan Tc	550 h

Additional product data

Base (standard designation)	P20d
-----------------------------	------

Certificates & standards

ECE category	HB3A
--------------	------

Country specific categorizations

Product datasheet

Order reference	9005XS
-----------------	--------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
0046135320408	OSRA9005XS	-	-	-

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
0046135320408	9005XS	Folding carton box 1	74 mm x 48 mm x 43 mm	0.15 dm <sup>3</sup>	36.00 g
4050300721989	9005XS	Bundle 10	91 mm x 79 mm x 244 mm	1.75 dm <sup>3</sup>	235.00 g
4050300721996	9005XS	Shipping carton box 100	485 mm x 160 mm x 250 mm	19.40 dm <sup>3</sup>	1884.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.