Datasheet and description

Entac Power Adapter T (3 Earthed)

Product code:	EPAG-T3EE
ID:	ES-200418
Company name:	Armin Trade Kft.
Company address:	Kossuth utca 22 2/4, 4024 Debrecen

Date of issue: 2023-05-10

Page: 1/3

SPECIFICATIONS

EAN code:	5999097904481
Warranty:	
Packaging:	1/b 100/c 3000/p
Certifications:	CE

PRODUCT PICTURE

TECHNICAL DETAILS

Wattage:	3 500W
Voltage:	250V
Length:	
Cable type:	
Number of sockets:	3pcs
Switch:	
IP Class:	IP20

Datasheet and description

ENTAC

Entac Power Adapter T (3 Earthed)

Product code:	EPAG-T3EE
ID:	ES-200418
Company name:	Armin Trade Kft.
Company address:	Kossuth utca 22 2/4, 4024 Debrecen

PRODUCT SIZE

Size:	140mm x 190mm x 50mm

CARDBOARD BOX

EAN:	5999097904481
Packaging:	1/b 100/c 3000/p
Dimensions:	140mm x 190mm x 50mm
Net weight:	94g
Gross weight:	105g

CARTON

EAN:	5999097904498
Packaging:	1/b 100/c 3000/p
Dimensions:	455mm x 240mm x 405mm
Net weight:	9.4kg
Gross weight:	10.5kg

PALLET EXAMPLE

Height:	
Width:	120cm (std Euro pallet)
Mepth:	80cm (std Euro pallet)
Cartons per pallet:	30carton/pallet
Cartons per row:	
Net weight:	282kg
Gross weight:	315kg

PRODUCT PICTURE

Datasheet and description

Entac Power Adapter T (3 Earthed)

Product code: EPAG-T3EE

ID: ES-200418

Company name: Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen

Date of issue: 2023-05-10

PRODUCT DESCRIPTION

With the help of Entac power adapters we can expand our options even in indoor rooms with few power sources. We provide a solution for using earthed and Europlugs. Of the adapters with an earthed socket there are versions with 2 or 3 sockets. Our Euro adapters are available with 2 sockets, as well as in a mixed version with 2 Euro and 2 earthed sockets. We may also choose from adapters equipped with a switch, available with 1 or 2 earthed sockets or in a mixed version with 1 earthed and 2 Euro sockets. Besides these, we also sell the classic T-shaped strip with 3 earthed sockets.

Entac has a number of different product categories that can be viewed at the link below.