ENTAC

Entac Socket Extension Cord 4 Sockets With Switch 1.5m 3G1.5

Product code:	ESE1.5G4-1.5-SW
ID:	ES-200418
Company name:	Armin Trade Kft.
Company address:	Kossuth utca 22 2/4, 4024 Debrecen

Date of issue: 2023-05-10

Page: 1/3

SPECIFICATIONS

EAN code:	5999097977980
Warranty:	2year(s)
Packaging:	1/b 40/c 1280/p
Certifications:	CE

PRODUCT PICTURE



TECHNICAL DETAILS	
Wattage:	3 680W
Voltage:	250V
Length:	1.5m
Cable type:	3G1.5
Number of sockets:	4pcs
Switch:	yes
IP Class:	IP20

ENTAC

Entac Socket Extension Cord 4 Sockets With Switch 1.5m 3G1.5

Product code:	ESE1.5G4-1.5-SW
ID:	ES-200418
Company name:	Armin Trade Kft.
Company address:	Kossuth utca 22 2/4, 4024 Debrecen

Date of issue: 2023-05-10

Page: 2/3

PRODUCT SIZE

Size:

140mm x 380mm x 50mm

CARDBOARD BOX

EAN:	5999097977980
Packaging:	1/b 40/c 1280/p
Dimensions:	140mm x 380mm x 50mm
Net weight:	340g
Gross weight:	370g

CARTON

EAN:	5999097977997
Packaging:	1/b 40/c 1280/p
Dimensions:	255mm x 195mm x 260mm
Net weight:	13.6kg
Gross weight:	14.8kg

PALLET EXAMPLE

Height:	
Width:	120cm (std Euro pallet)
Mepth:	80cm (std Euro pallet)
Cartons per pallet:	32carton/pallet
Cartons per row:	
Net weight:	435.2kg
Gross weight:	473.6kg



PRODUCT PICTURE



Entac Socket Extension Cord 4 Sockets With Switch 1.5m 3G1.5

Product code:	ESE1.5G4-1.5-SW
ID:	ES-200418
Company name:	Armin Trade Kft.
Company address:	Kossuth utca 22 2/4, 4024 Debrecen

Date of issue: 2023-05-10

Page: 3/3

PRODUCT DESCRIPTION

The Entac socket extension with switches are indispensable both at work and home. With their help you can provide electricity for all of your electric devices even if the power source is located further away in the room. Our range includes earthed socket strips with 3 to 6 sockets, 3G1.0 cable type in 1.5, 3 and 5 m lengths, as well as 3G1.5 cable type in 1.5 and 3 meter lengths. With the help of the switch you can disconnect your devices without unplugging them from the power strip.

The Entac socket extension category includes numerous other products. Learn more about these on the following <u>link</u>.