

Entac Socket Extension Cord 6 Sockets With Switch 3m 3G1.5

Product code: ESE1.5G6-3-SW
ID: ES-200418
Company name: Armin Trade Kft.
Company address: Kossuth utca 22 2/4, 4024 Debrecen

Date of issue: 2023-05-10

Page: 1/3

SPECIFICATIONS

EAN code: 5999097978147
Warranty: 2year(s)
Packaging: 1/b 20/c 1440/p
Certifications: CE

PRODUCT PICTURE



TECHNICAL DETAILS

Wattage: 3 680W
Voltage: 250V
Length: 3m
Cable type: 3G1.5
Number of sockets: 6pcs
Switch: yes
IP Class: IP20

Entac Socket Extension Cord 6 Sockets With Switch 3m 3G1.5

Product code: ESE1.5G6-3-SW
ID: ES-200418
Company name: Armin Trade Kft.
Company address: Kossuth utca 22 2/4, 4024 Debrecen

Date of issue: 2023-05-10

Page: 2/3

PRODUCT SIZE

Size: 160mm x 440mm x 50mm

CARDBOARD BOX

EAN: 5999097978147
Packaging: 1/b 20/c 1440/p
Dimensions: 160mm x 440mm x 50mm
Net weight: 580g
Gross weight: 590g

CARTON

EAN: 5999097978154
Packaging: 1/b 20/c 1440/p
Dimensions: 500mm x 370mm x 190mm
Net weight: 11.6kg
Gross weight: 11.8kg

PALLET EXAMPLE

Height:
Width: 120cm (std Euro pallet)
Mepth: 80cm (std Euro pallet)
Cartons per pallet: 72carton/pallet
Cartons per row:
Net weight: 835.2kg
Gross weight: 849.6kg

PRODUCT PICTURE



Entac Socket Extension Cord 6 Sockets With Switch 3m 3G1.5

Product code: ESE1.5G6-3-SW

ID: ES-200418

Date of issue: 2023-05-10

Company name: Armin Trade Kft.

Company address: Kossuth utca 22 2/4, 4024 Debrecen

Page: 3/3

PRODUCT DESCRIPTION

The Entac socket extension with switches are indispensable both at work and home. With their help you can provide electricity for all of your electric devices even if the power source is located further away in the room. Our range includes earthed socket strips with 3 to 6 sockets, 3G1.0 cable type in 1.5, 3 and 5 m lengths, as well as 3G1.5 cable type in 1.5 and 3 meter lengths. With the help of the switch you can disconnect your devices without unplugging them from the power strip.

The Entac socket extension category includes numerous other products. Learn more about these on the following [link](#).