
### **TUNGSRAM**

Innovation is our heritage EST. 1896







# GE Bright Stik™ LED 6/STIK/830/100-240/E27/F 1/15 TU 93032232

#### **Product information**

LED Bright Stik™ illuminates spaces with light instantly. Its sleek cylindrical shape fits in place of a traditional incandescent bulb - and some sockets where a traditional bulb or CFL doesn't fit . Replace a 40W, 60W & 100W incandescent with an LED Bright Stik and keep saving for the next 15 years\*. That's a long time you can spend not worrying about light bulbs.



#### GE Bright Stik™ LED 6/STIK/830/100-240/E27/F 1/15 TU 93032232

#### Product data

Product Code	93032232
Bulb Finish	White
Bulb Diameter [mm]	37
Nominal Length [mm]	116
Net weight per piece [g]	50
Brand	Tungsram
Cap/Base	E27

#### Performance data

Nominal/ Rated Beam Angle [°]	240
Rated Lumens [lm]	470
Weighted energy consumption [kWh/1000h]	6.0
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Power factor	0.7
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	470
Colour Rendering Index (CRI) [Ra]	80

#### Electrical data


Nominal lamp power factor	0.7
Rated power [W]	6.0
Number of switching cycles	100000
Dimming Capability	No
Nominal power [W]	6.0

## GE Bright Stik™ LED 6/STIK/830/100-240/E27/F 1/15 TU 93032232

#### Logistic data

DUN Code	06489453999279
EAN Code	0064894539992
Pack Quantity	15
Outer case size	238x154x152mm
Product status	Available

#### Photometric Data



#### Downloads & Links

Go to the catalog site (HTTP)

Product datasheet (PDF)

Photometry (IES)

User Manual for the Bright Stik™ products (PDF)

Images (HTTP)

Lighting design tools & calculators (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

