

XENARC COOL BLUE BOOST -

Hyper blue light for off-road use



Xenon hyper blue

Hyper blue light due to a special filling system used instead of conventional coating



Up to 7000 K

High contrast and most stylish look on the road



Enhanced brightness

For better visibility and shorter reaction times compared to standard xenon lamps



The hyper blue xenon light with up to 7,000 K

XENARC COOL BLUE BOOST convinces with hyper blue xenon light and high color temperatures of up to 7,000 K. This is due to a special filling system instead of conventional coating. These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Product datasheet

Technical data

Product information

Product type (off-road vs. on-road)	Off-road \triangle D4S
Application (Category and Product specific)	HID headlight lamp


Electrical data

Power input	35 W
Nominal voltage	42.0 V
Nominal wattage	35.00 W
Test voltage	13.5 V
Power input tolerance	± 3 %

Photometrical data

Luminous flux	3000 lm
Luminous flux tolerance	± 15 %
Color temperature	up to 7000 K

Dimensions & weight



Diameter	9 mm
Product weight	17.50 g
Length	77.3 mm

Lifespan

Lifespan B3	1000 h
Lifespan Tc	1500 h

Additional product data

Base (standard designation)	P32d-5
-----------------------------	--------

Product datasheet

Capabilities

Technology	HID
------------	-----

Certificates & standards

ECE category	- 1)
--------------	------


1) To be operated only with approved electronic control gear

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899527522	XENARC COOL BLUE BOOST \cong D4S	Hard Cover Box 2	114 mm x 49 mm x 106 mm	0.58 dm ³	127.00 g
4052899527539	XENARC COOL BLUE BOOST \cong D4S	Shipping carton box 10	257 mm x 129 mm x 121 mm	4.01 dm ³	715.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 360 Degree Image XENARC COOL BLUE BOOST OFFROAD D4S 66440CBB

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM