

XENARC COOL BLUE INTENSE (NEXT GEN) D2R

Extra white light for LED look



Extra white light for stylish LED look

Extra white light due to a special filling system used instead of conventional coating



Up to 6,200 Kelvin 1), 2)

High contrast and brilliantly white light for most stylish and modern look on the road



Up to 150% more brightness 1), 3)

Több fény, nagyobb látótávolság, gyorsabb reakció



The extra white light with up to 6,200 K

XENARC COOL BLUE INTENSE – discover that modern look at high power! With its extra white light for LED look, high-contrast xenon light, this automotive lamp appeals especially to drivers who like the perfect combination of stylish and individual design with exceptional road illumination. The high-tech xenon light with color temperatures of up to 6,200 Kelvin comes up with a highly efficient technology, brilliant effect and no-compromise design. Thanks to a special filling system which is used instead of conventional coating the lamp emits its extra white light. This stylish light creates a high-attention effect that helps you to be better seen by other motorists. Discover the exceptionally bright, high-contrast and brilliantly white light with up to 6,200 Kelvin and 150% more light! With XENARC COOL BLUE INTENSE, the night turns into day. Please note: XENARC lamp change is recommended to be carried out by a professional. 1) D1S, D2S, D3S, D4S, D8S. 2) Measured in headlamps. 3) Compared to minimum ECE R98 requirements.

Termék adatlap

Műszaki adatok

Termékinformáció

Lamp types	1) D1S, D2S, D3S, D4S, D8S
Measurement method	2) Measured in headlamps

Elektromos adatok

Felvett teljesítmény	35 W
Névleges feszültség	85.0 V
Névleges teljesítmény	35.00 W
Vizsgálati feszültség	13,5 V
Felvett teljesítmény tűrése	±3 %

Fotometriai adatok

Fényáram	2800 lm
Fényáram tűrés	±15 %
Színhőmérséklet	up to 6200 K

Méreték és súly

Átmérő	9 mm
Termék súlya	17.30 g
Hosszúság	77.3 mm

Élettartam

Élettartam, B3	1500 h
Élettartam Tc	3000 h

További termékadatok

Lámpafej (szabványos megjelölés)	P32d-3
----------------------------------	--------

Képességek

Technológia	HID
-------------	-----

Tanúsítványok és szabványok

ECE kategória	D2R ¹⁾
Jóváhagyási jelek	E1 jóváhagyás

¹⁾ Csak jóváhagyott elektronikus előtétellel


Logisztikai adatok

Termék adatlap

Termékkód	Termékmegnevezés	Csomagolás (darab/egység)	Méreték (hosszúság x szélesség x magasság)	Térfogat	Bruttó súly
4062172216913	COOL BLUE INTENSE (NEXT GEN) D2R	Folding Box 1	53 mm x 46 mm x 93 mm	0.23 dm ³	37.00 g
4062172216920	COOL BLUE INTENSE (NEXT GEN) D2R	Karton 4	115 mm x 101 mm x 103 mm	1.20 dm ³	181.00 g
4062172216937	COOL BLUE INTENSE (NEXT GEN) D2R	Shipping box EAN 50 48	371 mm x 256 mm x 232 mm	22.03 dm ³	2423.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 360 Degree Image XENARC COOL BLUE INTENSE D2R 66250CBI 66250CBN

Biztonsági tanács

XENARC lamps should be replaced by a qualified mechanic.

This product must only be operated with approved electronic control gear.

Használati tanácsok

További részletes alkalmazási információkat és grafikákat a termék adatlapján talál.

Lemondás

A változtatás jogát fenntartjuk. Hibák és mulasztások kizárva. Mindig győződjön meg arról, hogy a legújabb kiadást használja.



OSRAM