Product datasheet

OSRAM

ORIGINAL - GLASS WEDGE BASE W21/5W

Original spare part





The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

Product datasheet

Technical data

Product information

Order reference	7515
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	25 / 6 W
Nominal voltage	12.0 V
Nominal wattage	21/5 W
Power input tolerance	±6 / ±10 %
Test voltage	13.5 V

Photometrical data

Luminous flux	440/35 lm
Luminous flux tolerance	±15 / ±20 %

Dimensions & weight



Length	47.5 mm
Diameter	20.0 mm
Product weight	6.80 g

Lifespan

Lifespan B3	250 / 600 h ¹⁾
Lifespan Tc	500 / 1600 h ¹⁾

 $^{^{1)}}$ Filament 1 / Filament 2

Additional product data

Product datasheet

Capabilities

Certificates & standards

ECE category	W21/5W
--------------	--------

Country specific categorizations

Order reference	7515
-----------------	------

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899324312	ORIGINAL - WEDGE BASE W21/5W	Unpacked 1	- x - x -		10.00 g
4052899324329	ORIGINAL - WEDGE BASE W21/5W	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm ³	96.00 g
4052899324336	ORIGINAL - WEDGE BASE W21/5W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	567.00 g
4052899324589	ORIGINAL - WEDGE BASE W21/5W	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	19.00 g
4052899324596	ORIGINAL - WEDGE BASE W21/5W	Shipping carton box 20	280 mm x 80 mm x 103 mm	2.31 dm ³	241.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















